

Mask Form

Date _____

Name _____

Email _____

Phone number _____

Professor _____

Dept. _____

Account number _____

Mask Layout

File name _____ File Type GDS II ELK EMS

Quantity _____

Type of Job IR PG Both _____

Plate Size 5 3 Both _____

Flash Number _____

Run time _____

The mask PG stage can make lines down to 5 u. The IR stage is a -10X with a 3 inch plat holder.

All plate made at less then 5u are best effort and you will be charged for the mask whether right or wrong.

Please note that if a mask is wrong due to your error you will be charged the full cost of the mask. Any extra plate(s) used to make your mask will be an additional charge(s).

Layout should be done with square, and rectangles in mind. Circle takes multiple flashes to create. **NO Negative** number is your mask coordinates are allowed. Also, we use negative photo res plate. This means that a flash is clear on the mask when developed.

Flash count less then 20k \$130 for a 5 inch plate.

\$80 for a 3 inch plate.

Flash count 20k to 40k \$150 for a 5 inch plate.

\$100 for a 3 inch plate.

Flash count 40k to 60k \$170 for a 5 inch plate.

\$120 for a 3 inch plate.

Flash count 60k and up \$190 and up, for a 5 inch plate with \$10 per 5k flashes past

60k. \$150 and up, for a 3 inch plate with \$10 per 5k flash past 60k.